Coronary Heart Disease Prevalence

Coronary Heart Disease Prevalence

- •Most recent data (2014): 3% or about 40,400 King County adults age 18+.
- •Trend over time: 2001-14: flat
- •Description: Ever been told by a doctor, nurse, or other health professional you have angina or coronary heart disease
- •Healthy People 2020 Goal: None listed for this indicator.

Coronary heart disease prevalence, King County, 2010-2014 average

	Bt	Lower Cl	Harris Ol
40:	Percent		Upper CI
King County (adults age 18+)	3	3	3
AGE			
18-24	0	N/A	NA
25-44	0 §	0 §	1 §
45-64	3	3	4
65+	12	11	13
GENDER			
Male .	4	3	4
- emale	2	2	3
RACE/ETHNICITY			
AIAN	3 §	1 §	9\$
Asian	2	1	3
Black	3	2	5
Hispanic	1 §	0 §	1 §
<i>f</i> ultiple	2 §	1 §	4 §
JHPI	1 §	0 §	9 \$
White	3	3	4
HOUSEHOLD INCOME			
\$15,000	4	3	6
\$15,000 to \$24,999	4	3	5
\$25,000 to \$34,999	5	3	6
35,000 to \$49,999	4	3	5
550,000 to \$74,999	3	2	4
675,000+	2	2	2
REGION		-	
East	3	3	4
Jorth	3	2	4
Seattle	3	2	3
South	3	3	4
STATE	*		
Vashington State	4	3	4

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 09/2016.

N/A: Not available.


CI is 95% Confidence Interval

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Coronary heart disease prevalence King County, 2010-2014 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 09/2016.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

^{*} Too few cases to protect confidentiality and/or report reliable rates. § Too few cases to meet precision standard, interpret with caution.

Coronary heart disease prevalence by health reporting areas, King County, 2010-2014 average

	Percent	Lower Cl	Upper CI
King County (adults age 18+)	3	3	3
Auburn	4	2	6
Auburn-North	4 §	2§	8 §
Auburn-South	3 §	1\$	7 §
Bear Creek/Camation/Duvall	3	2	5
Bellevue	3	2	5
Bellevue-Central	4	2	7
Bellevue-NE	4 §	2§	8 §
Bellevue-South	3 §	1\$	8 §
Bellevue-West	2 §	1 §	5 §
Black Diamond/Enumclaw/SE County	3	2	4
Bothell/Woodinville	4 §	2 §	9 §
Burien	4	2	6
Covington/Maple Valley	3	2	5
Des Moines/Normandy Park	4 §		11 §
East Federal Way	1 §	1 §	3 §
Fairwood		1 §	4 \$
	2 §	2	4 4 4
Federal WayFed Way-Central/Military Rd	2 §	1§	4 4 §
	4 §	2 §	8 §
Fed Way-Dash Point/Woodmont			
Issaquah	6 §	3 §	12 §
Kenmore/LFP	2 §	1 §	4 §
Kent	5	3	8
Kent-East	2 §	1 §	5 §
Kent-SE	5	3	8
Kent-West	8 §	3 §	18 [§]
Kirkland	3	2	5
Kirkland	2 §	1 §	4 §
Kirkland North	4 §	2§	9§
Mercer Isle/Pt Cities	2 §	1 §	4 §
Newcastle/Four Creeks	4 §	2§	8 §
North Highline	2 §	1 §	6 §
Redmond	3 §	2§	6 §
Renton	3	2	4
Renton-East	2 §	1 §	4 §
Renton-North	2 §	1 §	5 §
Renton-South	4	2	6
Sammamish	3	1	5
SeaTac/Tukwila	3 §	1 §	6 §
Seattle	3	2	3
Ballard	3§		7 §
Beacon/Gtown/S.Park	2\$	1 §	5 §
Capitol Hill/E.lake	4	2	6
Capitol mili/E.lake	1 \$	0 §	3 §
Delridge	6 §	2 §	14 §
Downtown	4 §	2 §	7 §
Fremont/Greenlake	1 \$	0 §	2 §
NE Seattle	3 §	1 §	5 §
North Seattle	3	1	5
NW Seattle	3	2	5
QA/Magnolia	2	1	3
SE Seattle	4 §	2§	8 §
West Seattle	2	1	3
Shoreline	3	2	4
Snoqualmie/North Bend/Skykomish	3 §	1 §	5 §
Vashon Island	8 §	4 §	14 [§]
Comparisons:			

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 09/2016.


Cl is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.


Coronary heart disease prevalence by health reporting areas King County, 2010-2014 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 09/2016.

Coronary heart disease prevalence King County, 2001-2014, three-year rolling averages



Trends over time: King County (2001-14: flat); East KC (2001-09: flat; 2009-14: rising); North KC (2001-14: flat); Seattle (2001-14: flat); South KC (2001-14: flat); Washington State (2001-09: falling; 2009-14: flat) Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 09/2016.

Produced by the

<u>Assessment, Policy Development & Evaluation Unit</u>

<u>Public Health - Seattle & King County</u>

09/16

